



NEAT Data Collection Form

Audit Name:

Client Name:

Client ID:

Alternate Client ID:

Assigned to (Auditor):

Number of Conditioned Stories:

Floor Area (sq. ft.):


Comment:

Client Name:
Client ID:
Alt. Client ID:

NEAT Data Collection Form
Form Run On: 3/22/2010

DOE Weatherization Assistant
Version 8.6.0
Page 1 of 42

Site Diagram



| | |
|-----------------|--|
| Client Name: | |
| Client ID: | |
| Alt. Client ID: | |

NEAT Data Collection Form
Form Run On: 3/22/2010

DOE Weatherization Assistant
Version 8.6.0
Page 2 of 42

Walls

| | | | | | |
|----------------------|---|----------------------------------|---|---|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None Blown cellulose Blown fiberglass | Rockwool Fiberglass batts Polystyrene board | Other |
| Wall Type | Balloon frame Platform frame Masonry or Stone | Concrete block Adobe Other | | | |
| Stud Size | 2X2 2X3 2X4 2X6 2X8 | | | | |
| Exterior Type | Wood Stucco | Metal or Vinyl Brick or Stone | Other None | | |
| Exposure | Outside Buffered Attic | | | | |
| Orientation | North South East West | | | | |
| Area (sq ft) | <input type="text"/> | Existing R-Value | <input type="text"/> | | |
| Measure No. | <input type="text"/> | Added Insul Type | None Blown cellulose | User type 1 User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|---|----------------------------------|---|---|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None Blown cellulose Blown fiberglass | Rockwool Fiberglass batts Polystyrene board | Other |
| Wall Type | Balloon frame Platform frame Masonry or Stone | Concrete block Adobe Other | | | |
| Stud Size | 2X2 2X3 2X4 2X6 2X8 | | | | |
| Exterior Type | Wood Stucco | Metal or Vinyl Brick or Stone | Other None | | |
| Exposure | Outside Buffered Attic | | | | |
| Orientation | North South East West | | | | |
| Area (sq ft) | <input type="text"/> | Existing R-Value | <input type="text"/> | | |
| Measure No. | <input type="text"/> | Added Insul Type | None Blown cellulose | User type 1 User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

Client Name:

Client ID:

Alt. Client ID:

Walls

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | |
|------------------------|----------------------|
| Client Name: | <input type="text"/> |
| Client ID: | <input type="text"/> |
| Alt. Client ID: | <input type="text"/> |

Walls

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

Client Name:

Client ID:

Alt. Client ID:

Walls

| | | | | | |
|----------------------|--|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | <input type="text"/> 2X2 <input type="text"/> 2X3 <input type="text"/> 2X4 <input type="text"/> 2X6 <input type="text"/> 2X8 | | | | |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | <input type="text"/> Outside <input type="text"/> Buffered <input type="text"/> Attic | | | | |
| Orientation | <input type="text"/> North <input type="text"/> South <input type="text"/> East <input type="text"/> West | | | | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|--|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | <input type="text"/> 2X2 <input type="text"/> 2X3 <input type="text"/> 2X4 <input type="text"/> 2X6 <input type="text"/> 2X8 | | | | |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | <input type="text"/> Outside <input type="text"/> Buffered <input type="text"/> Attic | | | | |
| Orientation | <input type="text"/> North <input type="text"/> South <input type="text"/> East <input type="text"/> West | | | | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

Client Name:
 Client ID:
 Alt. Client ID:

Walls

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

Client Name:
 Client ID:
 Alt. Client ID:

Walls

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

| | | | | | |
|----------------------|----------------------|-----------------------------|----------------------|------------------------|-------|
| Wall Code | <input type="text"/> | Existing Insul Type | None | Rockwool | Other |
| Wall Type | Balloon frame | Concrete block | Blown cellulose | Fiberglass batts | |
| | Platform frame | Adobe | Blown fiberglass | Polystyrene board | |
| | Masonry or Stone | Other | | | |
| Stud Size | 2X2 | 2X3 | 2X4 | 2X6 | 2X8 |
| Exterior Type | Wood | Metal or Vinyl | Other | | |
| | Stucco | Brick or Stone | None | | |
| Exposure | Outside | Buffered | Attic | | |
| Orientation | North | South | East | West | |
| Area (sq ft) | <input type="text"/> | | | | |
| Measure No. | <input type="text"/> | | | | |
| | | Existing R-Value | <input type="text"/> | | |
| | | Added Insul Type | None | User type 1 | |
| | | | Blown cellulose | User type 2 | |
| | | Additional Cost (\$) | <input type="text"/> | | |
| | | Comment | <input type="text"/> | | |

Client Name:
 Client ID:
 Alt. Client ID:

Windows

| | | | | |
|-----------------------------|--|-------------------------|------------------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| | | | Replacement | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Low E | <input type="text"/> |
| | | | Storm | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | Comment | <input type="text"/> | |
| Exterior Shading (%) | <input type="text"/> | Width (in) | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | |
| | | | of windows having this description | |

| | | | | |
|-----------------------------|--|-------------------------|------------------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| | | | Replacement | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Low E | <input type="text"/> |
| | | | Storm | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | Comment | <input type="text"/> | |
| Exterior Shading (%) | <input type="text"/> | Width (in) | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | |
| | | | of windows having this description | |

Client Name:

Client ID:

Alt. Client ID:

Windows

| | | | | |
|-----------------------------|---|--------------------------|-------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie | Door Window | Weatherize | Add Storm |
| | Awning | Sliding Glass Door | Replace | Evaluate None |
| | Slider | Skylight | | |
| | Fixed | | | |
| | | | | |
| Frame Type | Wood or Vinyl | Metal | Improved metal | |
| Glazing Type | Single Pane | Single with Bad storm | | |
| | Single with Wood storm | Double Pane | | |
| | Single with Metal storm | Double Pane Low | | |
| Interior Shading | Drapes | Drapes w/Blinds or Shade | | |
| | Blinds or Shade | None | | |
| Exterior Shading (%) | <input type="text"/> | | | |
| Leakiness | Very Tight | Medium | Very Loose | |
| | Tight | Loose | | |
| Additional Costs | Weatherization | | <input type="text"/> | |
| | Replacement | | <input type="text"/> | |
| | Low E | | <input type="text"/> | |
| | Storm | | <input type="text"/> | |
| Comment | <input type="text"/> | | | |
| Width (in) | <input type="text"/> | | | |
| Height (in) | <input type="text"/> | | | |
| Wall Code | <input type="text"/> | | | |
| Number | <input type="text"/> of windows having this description | | | |

| | | | | |
|-----------------------------|---|--------------------------|-------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie | Door Window | Weatherize | Add Storm |
| | Awning | Sliding Glass Door | Replace | Evaluate None |
| | Slider | Skylight | | |
| | Fixed | | | |
| | | | | |
| Frame Type | Wood or Vinyl | Metal | Improved metal | |
| Glazing Type | Single Pane | Single with Bad storm | | |
| | Single with Wood storm | Double Pane | | |
| | Single with Metal storm | Double Pane Low | | |
| Interior Shading | Drapes | Drapes w/Blinds or Shade | | |
| | Blinds or Shade | None | | |
| Exterior Shading (%) | <input type="text"/> | | | |
| Leakiness | Very Tight | Medium | Very Loose | |
| | Tight | Loose | | |
| Additional Costs | Weatherization | | <input type="text"/> | |
| | Replacement | | <input type="text"/> | |
| | Low E | | <input type="text"/> | |
| | Storm | | <input type="text"/> | |
| Comment | <input type="text"/> | | | |
| Width (in) | <input type="text"/> | | | |
| Height (in) | <input type="text"/> | | | |
| Wall Code | <input type="text"/> | | | |
| Number | <input type="text"/> of windows having this description | | | |

Client Name:

Client ID:

Alt. Client ID:

Windows

| | | | | |
|-----------------------------|--|-------------------------|-------------------------|------------------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Replacement | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | | Low E | <input type="text"/> |
| Exterior Shading (%) | <input type="text"/> | Comment | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Width (in) | <input type="text"/> | |
| | | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | of windows having this description |

| | | | | |
|-----------------------------|--|-------------------------|-------------------------|------------------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Replacement | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | | Low E | <input type="text"/> |
| Exterior Shading (%) | <input type="text"/> | Comment | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Width (in) | <input type="text"/> | |
| | | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | of windows having this description |

Client Name:
 Client ID:
 Alt. Client ID:

Windows

| | | | | |
|-----------------------------|--|-------------------------|------------------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| | | | Replacement | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Low E | <input type="text"/> |
| | | | Storm | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | Comment | <input type="text"/> | |
| Exterior Shading (%) | <input type="text"/> | Width (in) | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | |
| | | | of windows having this description | |

| | | | | |
|-----------------------------|--|-------------------------|------------------------------------|----------------------------|
| Window Code | <input type="text"/> | Retrofit Options | Evaluate All | Replace w/Low E |
| Window Type | Jalousie Door Window Awning Sliding Glass Door Slider Skylight Fixed | | Weatherize | Add Storm |
| | | | Replace | Evaluate None |
| Frame Type | Wood or Vinyl Metal Improved metal | Additional Costs | Weatherization | <input type="text"/> |
| | | | Replacement | <input type="text"/> |
| Glazing Type | Single Pane Single with Bad storm Single with Wood storm Double Pane Single with Metal storm Double Pane Low | | Low E | <input type="text"/> |
| | | | Storm | <input type="text"/> |
| Interior Shading | Drapes Drapes w/Blinds or Shade Blinds or Shade None | Comment | <input type="text"/> | |
| Exterior Shading (%) | <input type="text"/> | Width (in) | <input type="text"/> | |
| Leakiness | Very Tight Medium Very Loose Tight Loose | Height (in) | <input type="text"/> | |
| | | Wall Code | <input type="text"/> | |
| | | Number | <input type="text"/> | |
| | | | of windows having this description | |

Client Name:

Client ID:

Alt. Client ID:

Doors

| | | | | | | | |
|-----------------------------|--|------------------|----------------------|-----------------|----------------------|-----------------|--|
| Door Code | <input type="text"/> | | | | | | |
| Wall Code | <input type="text"/> (from Walls page) | | | | | | |
| Door Type | <table border="1"> <tr> <td>Wood Hollow Core</td> <td>Single Sliding Glass</td> </tr> <tr> <td>Wood Solid Core</td> <td>Double Sliding Glass</td> </tr> <tr> <td>Steel Insulated</td> <td></td> </tr> </table> | Wood Hollow Core | Single Sliding Glass | Wood Solid Core | Double Sliding Glass | Steel Insulated | |
| Wood Hollow Core | Single Sliding Glass | | | | | | |
| Wood Solid Core | Double Sliding Glass | | | | | | |
| Steel Insulated | | | | | | | |
| Number | <input type="text"/> of doors having this description | | | | | | |
| Area (sq ft) | <input type="text"/> | | | | | | |
| Storm Door Condition | Adequate Deteriorated None | | | | | | |
| Width (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Height (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Comment | <input type="text"/> | | | | | | |

| | | | | | | | |
|-----------------------------|--|------------------|----------------------|-----------------|----------------------|-----------------|--|
| Door Code | <input type="text"/> | | | | | | |
| Wall Code | <input type="text"/> (from Walls page) | | | | | | |
| Door Type | <table border="1"> <tr> <td>Wood Hollow Core</td> <td>Single Sliding Glass</td> </tr> <tr> <td>Wood Solid Core</td> <td>Double Sliding Glass</td> </tr> <tr> <td>Steel Insulated</td> <td></td> </tr> </table> | Wood Hollow Core | Single Sliding Glass | Wood Solid Core | Double Sliding Glass | Steel Insulated | |
| Wood Hollow Core | Single Sliding Glass | | | | | | |
| Wood Solid Core | Double Sliding Glass | | | | | | |
| Steel Insulated | | | | | | | |
| Number | <input type="text"/> of doors having this description | | | | | | |
| Area (sq ft) | <input type="text"/> | | | | | | |
| Storm Door Condition | Adequate Deteriorated None | | | | | | |
| Width (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Height (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Comment | <input type="text"/> | | | | | | |

| | | | | | | | |
|-----------------------------|--|------------------|----------------------|-----------------|----------------------|-----------------|--|
| Door Code | <input type="text"/> | | | | | | |
| Wall Code | <input type="text"/> (from Walls page) | | | | | | |
| Door Type | <table border="1"> <tr> <td>Wood Hollow Core</td> <td>Single Sliding Glass</td> </tr> <tr> <td>Wood Solid Core</td> <td>Double Sliding Glass</td> </tr> <tr> <td>Steel Insulated</td> <td></td> </tr> </table> | Wood Hollow Core | Single Sliding Glass | Wood Solid Core | Double Sliding Glass | Steel Insulated | |
| Wood Hollow Core | Single Sliding Glass | | | | | | |
| Wood Solid Core | Double Sliding Glass | | | | | | |
| Steel Insulated | | | | | | | |
| Number | <input type="text"/> of doors having this description | | | | | | |
| Area (sq ft) | <input type="text"/> | | | | | | |
| Storm Door Condition | Adequate Deteriorated None | | | | | | |
| Width (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Height (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Comment | <input type="text"/> | | | | | | |

| | | | | | | | |
|-----------------------------|--|------------------|----------------------|-----------------|----------------------|-----------------|--|
| Door Code | <input type="text"/> | | | | | | |
| Wall Code | <input type="text"/> (from Walls page) | | | | | | |
| Door Type | <table border="1"> <tr> <td>Wood Hollow Core</td> <td>Single Sliding Glass</td> </tr> <tr> <td>Wood Solid Core</td> <td>Double Sliding Glass</td> </tr> <tr> <td>Steel Insulated</td> <td></td> </tr> </table> | Wood Hollow Core | Single Sliding Glass | Wood Solid Core | Double Sliding Glass | Steel Insulated | |
| Wood Hollow Core | Single Sliding Glass | | | | | | |
| Wood Solid Core | Double Sliding Glass | | | | | | |
| Steel Insulated | | | | | | | |
| Number | <input type="text"/> of doors having this description | | | | | | |
| Area (sq ft) | <input type="text"/> | | | | | | |
| Storm Door Condition | Adequate Deteriorated None | | | | | | |
| Width (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Height (in) | <input type="text"/> of storm door (if to be replaced) | | | | | | |
| Comment | <input type="text"/> | | | | | | |

Notes :

| | |
|------------------------|----------------------|
| Client Name: | <input type="text"/> |
| Client ID: | <input type="text"/> |
| Alt. Client ID: | <input type="text"/> |

Unfinished Attics

| | | |
|--|--|---|
| Attic Code <input type="text"/> Attic Type <input type="text" value="Unfloored"/> <input type="text" value="Floored"/> Cathedral / Flat Joist Spacing (in) <input type="text"/> Area (sq ft) <input type="text"/> Comment <input type="text"/> | Existing Insulation Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="Blown Rockwool"/> <input type="text" value="Fiberglass Batts"/> <input type="text" value="Other"/> Depth (in) <input type="text"/> | Added Insulation Measure # <input type="text"/> Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="User Type 1"/> <input type="text" value="User Type 2"/> <input type="text" value="Other"/> Added R Value <input type="text"/> or Max Depth (in) <input type="text"/> Additional Cost (\$) <input type="text"/> |
|--|--|---|

| | | |
|--|--|---|
| Attic Code <input type="text"/> Attic Type <input type="text" value="Unfloored"/> <input type="text" value="Floored"/> Cathedral / Flat Joist Spacing (in) <input type="text"/> Area (sq ft) <input type="text"/> Comment <input type="text"/> | Existing Insulation Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="Blown Rockwool"/> <input type="text" value="Fiberglass Batts"/> <input type="text" value="Other"/> Depth (in) <input type="text"/> | Added Insulation Measure # <input type="text"/> Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="User Type 1"/> <input type="text" value="User Type 2"/> <input type="text" value="Other"/> Added R Value <input type="text"/> or Max Depth (in) <input type="text"/> Additional Cost (\$) <input type="text"/> |
|--|--|---|

| | | |
|--|--|---|
| Attic Code <input type="text"/> Attic Type <input type="text" value="Unfloored"/> <input type="text" value="Floored"/> Cathedral / Flat Joist Spacing (in) <input type="text"/> Area (sq ft) <input type="text"/> Comment <input type="text"/> | Existing Insulation Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="Blown Rockwool"/> <input type="text" value="Fiberglass Batts"/> <input type="text" value="Other"/> Depth (in) <input type="text"/> | Added Insulation Measure # <input type="text"/> Type <input type="text" value="None"/> <input type="text" value="Blown Cellulose"/> <input type="text" value="Blown Fiberglass"/> <input type="text" value="User Type 1"/> <input type="text" value="User Type 2"/> <input type="text" value="Other"/> Added R Value <input type="text"/> or Max Depth (in) <input type="text"/> Additional Cost (\$) <input type="text"/> |
|--|--|---|

Notes :

Client Name:
 Client ID:
 Alt. Client ID:

Finished Attics

| | | | |
|-----------------------------|---|--|---|
| Attic Code | <input type="text"/> | Existing Insulation | Added Insulation |
| Attic Area Type | Outer Ceiling Joist Collar Beam Kneewall Roof Rafter | Type | Type |
| Attic Floor Type | Unfloored Floored | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other |
| Area (sq ft) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Measure # | <input type="text"/> | Added R Value | <input type="text"/> |
| or | Max | or | Max |
| Depth (in) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Additional Cost (\$) | <input type="text"/> | Additional Cost (\$) | <input type="text"/> |
| Comment | <input type="text"/> | | |

| | | | |
|-----------------------------|---|--|---|
| Attic Code | <input type="text"/> | Existing Insulation | Added Insulation |
| Attic Area Type | Outer Ceiling Joist Collar Beam Kneewall Roof Rafter | Type | Type |
| Attic Floor Type | Unfloored Floored | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other |
| Area (sq ft) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Measure # | <input type="text"/> | Added R Value | <input type="text"/> |
| or | Max | or | Max |
| Depth (in) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Additional Cost (\$) | <input type="text"/> | Additional Cost (\$) | <input type="text"/> |
| Comment | <input type="text"/> | | |

| | | | |
|-----------------------------|---|--|---|
| Attic Code | <input type="text"/> | Existing Insulation | Added Insulation |
| Attic Area Type | Outer Ceiling Joist Collar Beam Kneewall Roof Rafter | Type | Type |
| Attic Floor Type | Unfloored Floored | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other |
| Area (sq ft) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Measure # | <input type="text"/> | Added R Value | <input type="text"/> |
| or | Max | or | Max |
| Depth (in) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Additional Cost (\$) | <input type="text"/> | Additional Cost (\$) | <input type="text"/> |
| Comment | <input type="text"/> | | |

| | | | |
|-----------------------------|---|--|---|
| Attic Code | <input type="text"/> | Existing Insulation | Added Insulation |
| Attic Area Type | Outer Ceiling Joist Collar Beam Kneewall Roof Rafter | Type | Type |
| Attic Floor Type | Unfloored Floored | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other | None Blown Cellulose Blown Fiberglass Rockwool Fiberglass Batts Other |
| Area (sq ft) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Measure # | <input type="text"/> | Added R Value | <input type="text"/> |
| or | Max | or | Max |
| Depth (in) | <input type="text"/> | Depth (in) | <input type="text"/> |
| Additional Cost (\$) | <input type="text"/> | Additional Cost (\$) | <input type="text"/> |
| Comment | <input type="text"/> | | |

Client Name:

Client ID:

Alt. Client ID:

Foundations

| | | | | |
|--------------------------------------|--|----------------------------|---|----------------|
| Foundation Code <input type="text"/> | Foundation Type | Conditioned | Unintentionally Conditioned | Insulated Slab |
| Measure # <input type="text"/> | | Non-Conditioned | Uninsulated Slab | Exposed Floor |
| | | Vented Non-Conditioned | | |
| Floor | Area (sq ft) <input type="text"/> | Added Ins. Type | None | |
| | Existing Ins. R Value <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Sill | Floor Joist Size <input type="text"/> | Added Ins. Type | Fiberglass Batts / 1.5" FOAM / 3" FOAM / NONE | |
| | Perimeter to Insulate <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Foundation Wall | Height (ft) <input type="text"/> | Existing Ins. R Value | <input type="text"/> | |
| | Height Exposed (%) <input type="text"/> | Added Ins. Type | 1.5" FOAM / NONE | |
| | Perimeter <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Comment | <input type="text"/> | | | |

| | | | | |
|--------------------------------------|--|----------------------------|---|----------------|
| Foundation Code <input type="text"/> | Foundation Type | Conditioned | Unintentionally Conditioned | Insulated Slab |
| Measure # <input type="text"/> | | Non-Conditioned | Uninsulated Slab | Exposed Floor |
| | | Vented Non-Conditioned | | |
| Floor | Area (sq ft) <input type="text"/> | Added Ins. Type | None | |
| | Existing Ins. R Value <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Sill | Floor Joist Size <input type="text"/> | Added Ins. Type | Fiberglass Batts / 1.5" FOAM / 3" FOAM / NONE | |
| | Perimeter to Insulate <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Foundation Wall | Height (ft) <input type="text"/> | Existing Ins. R Value | <input type="text"/> | |
| | Height Exposed (%) <input type="text"/> | Added Ins. Type | 1.5" FOAM / NONE | |
| | Perimeter <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Comment | <input type="text"/> | | | |

Client Name:
 Client ID:
 Alt. Client ID:

NEAT Data Collection Form
 Form Run On: 3/22/2010

DOE Weatherization Assistant
 Version 8.6.0
 Page 19 of 42

| | | | | |
|---|---|------------------------------|---|----------------|
| Foundation Code <input type="text"/> | Foundation Type | Conditioned | Unintentionally Conditioned | Insulated Slab |
| Measure # <input type="text"/> | | Non-Conditioned | Uninsulated Slab | Exposed Floor |
| | | Vented Non-Conditioned | | |
| Floor | Area (sq ft) <input type="text"/> | Added Ins. Type | None | |
| | Existing Ins. R Value <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Sill | Floor Joist Size <input type="text"/> | Added Ins. Type | Fiberglass Batts / 1.5" FOAM / 3" FOAM / NONE | |
| | Perimeter to Insulate <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Foundation Wall | Height (ft) <input type="text"/> | Existing Ins. R Value | <input type="text"/> | |
| | Height Exposed (%) <input type="text"/> | Added Ins. Type | 1.5" FOAM / NONE | |
| | Perimeter <input type="text"/> | Addl. Cost | <input type="text"/> | |
| Comment | <input type="text"/> | | | |

Notes :

| | |
|------------------------|----------------------|
| Client Name: | <input type="text"/> |
| Client ID: | <input type="text"/> |
| Alt. Client ID: | <input type="text"/> |

Heating Systems

System Code

Heat Supplied (%)

Primary System

Equipment Type

Manufacturer

Model

Fuel

Location

Comment

- Gravity Furnace
 - Forced Air Furnace
 - Steam Boiler
 - Hot Water Boiler
 - Fixed Electric Resistance
 - Portable Electric Resistance
 - Heat Pump
 - Vented Space Heater
 - Unvented Space Heater
 - Other
- | | |
|-------------|---------|
| Natural Gas | Oil |
| Electricity | Propane |
| Wood | Coal |
| Kerosene | Other |
- Heated Space
 - Unconditioned Space
 - Unintentionally Heated Space

| Uninsulated Supply Duct | | Uninsulated Supply Duct | |
|-------------------------|----------------------|-------------------------|----------------------|
| Type | <input type="text"/> | Type | <input type="text"/> |
| Length (ft) | <input type="text"/> | Length (ft) | <input type="text"/> |
| Width (in) | <input type="text"/> | Width (in) | <input type="text"/> |
| Height (in) | <input type="text"/> | Height (in) | <input type="text"/> |
| OR Diameter (in) | <input type="text"/> | OR Diameter (in) | <input type="text"/> |
| Location | <input type="text"/> | Location | <input type="text"/> |

HEATING SYSTEM DETAILS * Equipment Type and Fuel Determine which fields are required

| | | |
|--|---|---|
| <p>Input Units <input type="text"/></p> <p>Input Rating <input type="text"/></p> <p>Output Capacity (kBTU/hr) <input type="text"/></p> <p>Steady State System Efficiency (%) <input type="text"/></p> <p>Condition <input type="text"/></p> <p>Programmable Thermostat <input type="checkbox"/></p> <p>Heat Pump HSPF <input type="text"/> or</p> <p>Year Purchased <input type="text"/></p> | <p>Automatic Vent Damper</p> <p>Present? <input type="checkbox"/></p> <p>Recommended? <input type="checkbox"/></p> <p>Flue Diameter (in) <input type="text"/></p> <p>Pilot Light / IID</p> <p>IID? <input type="checkbox"/> Pilot Light? <input type="checkbox"/></p> <p>On in Summer? <input type="checkbox"/></p> <p>Power Burner? <input type="checkbox"/></p> <p>Retention Head</p> <p>Present? <input type="checkbox"/></p> <p>Recommended? <input type="checkbox"/></p> | <p>System Retrofit</p> <p><i>ONLY 2 Options</i></p> <p>Evaluate All</p> <p>Tuneup Performed</p> <p>Tuneup Mandatory</p> <p>Standard Efficiency</p> <p>Replacement Mandatory</p> <p>High Efficiency</p> <p>Replacement Mandatory</p> <p>Don't Replace</p> <p>Evaluate None</p> <p>Fuel <input type="text"/></p> <p>System AFUE <input type="text"/> <u>High</u> <input type="text"/></p> <p>Labor Cost (\$) <input type="text"/> <u>Standard</u> <input type="text"/></p> <p>Material Cost (\$) <input type="text"/> <u>Efficiency</u> <input type="text"/></p> |
|--|---|---|

Notes :

Client Name:

Client ID:

Alt. Client ID:

Ducts / Infiltration

AIR and DUCT LEAKAGES

Evaluate Duct Sealing?

Duct Leakage Method

~~Whole House Blower Door Measurement
Blower Door Subtraction (sealed and unsealed registers and grills)
Duct-Blower Measurements~~

| Whole House Blower Door Measurements | | |
|---|-------------------------------------|--|
| | Before Weatherization (Existing) | After Weatherization (Target or Actual) |
| Air Leakage Rate (cfm) at House Pressure Difference (Pa) | <input type="text"/> | <input type="text"/> |
| Infiltration Reduction Cost (\$) | <input type="text"/> | |
| Comment | <input type="text"/> | |

| Whole House Blower Door Measurements | | | | | | | | | | | | | |
|---|--|----------------------|--|--------------------------|--|---------------------|--------------------|-------------|----------------------|----------------------|-------------|----------------------|----------------------|
| | Before Weatherization (Existing) | After Duct Sealing | After Weatherization (Target or Actual) | | | | | | | | | | |
| Air Leakage Rate (cfm) at House Pressure Difference (Pa) | <input type="text"/> | <input type="text"/> | <input type="text"/> | | | | | | | | | | |
| Infiltration Reduction Cost (\$) | <input type="text"/> | | | | | | | | | | | | |
| Duct Sealing Cost (\$) | <input type="text"/> | | | | | | | | | | | | |
| Comment | <table border="1"> <thead> <tr> <th colspan="2">DUCT OPERATING PRESSURES</th> </tr> <tr> <th>Before Duct Sealing</th> <th>After Duct Sealing</th> </tr> </thead> <tbody> <tr> <td>Supply (Pa)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Return (Pa)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table> | | | DUCT OPERATING PRESSURES | | Before Duct Sealing | After Duct Sealing | Supply (Pa) | <input type="text"/> | <input type="text"/> | Return (Pa) | <input type="text"/> | <input type="text"/> |
| | DUCT OPERATING PRESSURES | | | | | | | | | | | | |
| | Before Duct Sealing | After Duct Sealing | | | | | | | | | | | |
| Supply (Pa) | <input type="text"/> | <input type="text"/> | | | | | | | | | | | |
| Return (Pa) | <input type="text"/> | <input type="text"/> | | | | | | | | | | | |

Client Name:
Client ID:
Alt. Client ID:

NEAT Data Collection Form
Form Run On: 3/22/2010

DOE Weatherization Assistant
Version 8.6.0
Page 27 of 42

Base Load - Water Heater

Existing Equipment

Manufacturer Model

Fuel Natural Gas
Electricity
Propane

Rated Input

Location Heated Space
Unconditioned Space
Unintentionally Heated Space

Input Units kBTU
kW

Gallons

Energy Factor

Recovery Efficiency (%)

Water Heater Wrap Present

Insulation Type Fiberglass
Polyurethane

Water Heater Pipe Insulation Present

Insulation Thickness (in)

Label R Value

Replacement Equipment *IF NEEDED*

Manufacturer

Model

Fuel Natural Gas
Electricity
Propane

Rated Input

Input Units kBTU
kW

Gallons

Installation Cost (\$)

Additional Cost (\$)

Energy Factor

Recovery Efficiency (%)

Shower Heads

Number of Showerheads Average GPM 6

Minutes of Shower Use Per Day 10 PER OCCUPANT

Comment

Notes :

Client Name:

Client ID:

Alt. Client ID:

Baseload - Lighting Systems

| Existing Incandescent Lighting | | Replacement Compact Fluorescent Lighting | | | | | | | | | | | | | |
|--------------------------------|--|--|---------------------------------|-------------|-------------|---------|-------|-------------|----------|-------------------------------------|----------|---------|--|-----------------------|----------------------|
| Light Code | <input type="text"/> | CF Watts | <input type="text" value="18"/> | | | | | | | | | | | | |
| Room | <table border="1"> <tr> <td>Kitchen</td> <td>Dining Room</td> <td>Other</td> </tr> <tr> <td>Family Room</td> <td>Bedroom</td> <td></td> </tr> <tr> <td>Living Room</td> <td>Bathroom</td> <td></td> </tr> <tr> <td>Rec Room</td> <td>Utility</td> <td></td> </tr> </table> | Kitchen | Dining Room | Other | Family Room | Bedroom | | Living Room | Bathroom | | Rec Room | Utility | | Additional Costs (\$) | <input type="text"/> |
| Kitchen | Dining Room | Other | | | | | | | | | | | | | |
| Family Room | Bedroom | | | | | | | | | | | | | | |
| Living Room | Bathroom | | | | | | | | | | | | | | |
| Rec Room | Utility | | | | | | | | | | | | | | |
| Location | <table border="1"> <tr> <td>Ceiling</td> <td>Wall</td> <td rowspan="3">WHOLE HOUSE</td> </tr> <tr> <td>Floor</td> <td>Other</td> </tr> <tr> <td>Table</td> <td></td> </tr> </table> | Ceiling | Wall | WHOLE HOUSE | Floor | Other | Table | | Comment | ENTER TOTAL QUANTITY TO BE REPLACED | | | | | |
| Ceiling | Wall | WHOLE HOUSE | | | | | | | | | | | | | |
| Floor | Other | | | | | | | | | | | | | | |
| Table | | | | | | | | | | | | | | | |
| Lamp Type | Standard Flood Other | Quantity | <input type="text"/> | | | | | | | | | | | | |
| Watts | <input type="text"/> | Use Hours / Day | <input type="text" value="6"/> | | | | | | | | | | | | |

| Existing Incandescent Lighting | | Replacement Compact Fluorescent Lighting | | | | | | | | | | | | | |
|--------------------------------|--|--|---------------------------------|-------|-------------|---------|--|-------------|----------|--|----------|---------|--|-----------------------|----------------------|
| Light Code | <input type="text"/> | CF Watts | <input type="text" value="18"/> | | | | | | | | | | | | |
| Room | <table border="1"> <tr> <td>Kitchen</td> <td>Dining Room</td> <td>Other</td> </tr> <tr> <td>Family Room</td> <td>Bedroom</td> <td></td> </tr> <tr> <td>Living Room</td> <td>Bathroom</td> <td></td> </tr> <tr> <td>Rec Room</td> <td>Utility</td> <td></td> </tr> </table> | Kitchen | Dining Room | Other | Family Room | Bedroom | | Living Room | Bathroom | | Rec Room | Utility | | Additional Costs (\$) | <input type="text"/> |
| Kitchen | Dining Room | Other | | | | | | | | | | | | | |
| Family Room | Bedroom | | | | | | | | | | | | | | |
| Living Room | Bathroom | | | | | | | | | | | | | | |
| Rec Room | Utility | | | | | | | | | | | | | | |
| Location | <table border="1"> <tr> <td>Ceiling</td> <td>Wall</td> <td></td> </tr> <tr> <td>Floor</td> <td>Other</td> <td></td> </tr> <tr> <td>Table</td> <td></td> <td></td> </tr> </table> | Ceiling | Wall | | Floor | Other | | Table | | | Comment | | | | |
| Ceiling | Wall | | | | | | | | | | | | | | |
| Floor | Other | | | | | | | | | | | | | | |
| Table | | | | | | | | | | | | | | | |
| Lamp Type | Standard Flood Other | Quantity | <input type="text"/> | | | | | | | | | | | | |
| Watts | <input type="text"/> | Use Hours / Day | <input type="text" value="6"/> | | | | | | | | | | | | |

| Existing Incandescent Lighting | | Replacement Compact Fluorescent Lighting | | | | | | | | | | | | | |
|--------------------------------|--|--|---------------------------------|-------|-------------|---------|--|-------------|----------|--|----------|---------|--|-----------------------|----------------------|
| Light Code | <input type="text"/> | CF Watts | <input type="text" value="18"/> | | | | | | | | | | | | |
| Room | <table border="1"> <tr> <td>Kitchen</td> <td>Dining Room</td> <td>Other</td> </tr> <tr> <td>Family Room</td> <td>Bedroom</td> <td></td> </tr> <tr> <td>Living Room</td> <td>Bathroom</td> <td></td> </tr> <tr> <td>Rec Room</td> <td>Utility</td> <td></td> </tr> </table> | Kitchen | Dining Room | Other | Family Room | Bedroom | | Living Room | Bathroom | | Rec Room | Utility | | Additional Costs (\$) | <input type="text"/> |
| Kitchen | Dining Room | Other | | | | | | | | | | | | | |
| Family Room | Bedroom | | | | | | | | | | | | | | |
| Living Room | Bathroom | | | | | | | | | | | | | | |
| Rec Room | Utility | | | | | | | | | | | | | | |
| Location | <table border="1"> <tr> <td>Ceiling</td> <td>Wall</td> <td></td> </tr> <tr> <td>Floor</td> <td>Other</td> <td></td> </tr> <tr> <td>Table</td> <td></td> <td></td> </tr> </table> | Ceiling | Wall | | Floor | Other | | Table | | | Comment | | | | |
| Ceiling | Wall | | | | | | | | | | | | | | |
| Floor | Other | | | | | | | | | | | | | | |
| Table | | | | | | | | | | | | | | | |
| Lamp Type | Standard Flood Other | Quantity | <input type="text"/> | | | | | | | | | | | | |
| Watts | <input type="text"/> | Use Hours / Day | <input type="text" value="6"/> | | | | | | | | | | | | |

Client Name:

Client ID:

Alt. Client ID:

Itemized Costs From Work Order SEE INSTRUCTIONS FIRST

| | | | |
|----------------------------------|-------------------|---|---------------------------------|
| Measure Name | | | Comment |
| Cost (\$) | | Include in SIR? <input checked="" type="checkbox"/> | |
| Material | | | |
| Annual Energy Savings | Units | Fuel Saved | Primary Heating Fuel |
| Life (years) | kWh | Electric | Kerosene |
| | MMBtu | Propane | Other |
| | Therms | Natural Gas | Wood |
| | | Oil | Coal |

| | | | |
|----------------------------------|-------------------|---|---------------------------------|
| Measure Name | | | Comment |
| Cost (\$) | | Include in SIR? <input checked="" type="checkbox"/> | |
| Material | | | |
| Annual Energy Savings | Units | Fuel Saved | Primary Heating Fuel |
| Life (years) | kWh | Electric | Kerosene |
| | MMBtu | Propane | Other |
| | Therms | Natural Gas | Wood |
| | | Oil | Coal |

| | | | |
|----------------------------------|-------------------|---|---------------------------------|
| Measure Name | | | Comment |
| Cost (\$) | | Include in SIR? <input checked="" type="checkbox"/> | |
| Material | | | |
| Annual Energy Savings | Units | Fuel Saved | Primary Heating Fuel |
| Life (years) | kWh | Electric | Kerosene |
| | MMBtu | Propane | Other |
| | Therms | Natural Gas | Wood |
| | | Oil | Coal |

| | | | |
|----------------------------------|-------------------|---|---------------------------------|
| Measure Name | | | Comment |
| Cost (\$) | | Include in SIR? <input checked="" type="checkbox"/> | |
| Material | | | |
| Annual Energy Savings | Units | Fuel Saved | Primary Heating Fuel |
| Life (years) | kWh | Electric | Kerosene |
| | MMBtu | Propane | Other |
| | Therms | Natural Gas | Wood |
| | | Oil | Coal |

Notes :

Client Name:

Client ID:

Alt. Client ID:

